

1 Short characterization: TRUCKER – the magazine for long-distance truck drivers. For 28 years, TRUCKER has been the specialized magazine for truck drivers. Month after month, new trucks and technologies are introduced and compared. Driving reports, service topics and exciting everyday reports complete the picture. The readers are primarily professional truck drivers covering long distances, as well as self-driving hauliers.

2 Frequency of publication: monthly

3 Year of publication:	28 th year 2007
4 Web-address (URL):	www.trucker.de
5 Memberships:	-
6 Medium:	-
7 Publisher:	-
8 Editorial Board: Postal address: House address: Phone: Fax: Internet: E-mail:	Springer Transport Media GmbH P. O. Box 80 20 20, 81620 Munich, Germany Neumarkter Str. 18, 81673 Munich, Germany +49-89 / 43 72-0 +49-89 / 43 72-23 98 www.verlag-heinrich-vogel.de anzeigen-vhv@springer.com

9 Editorial department:

Editor in chief:

Oliver Willms oliver.willms@springer.com

10 Advertising office: General Advertisement Director: Michaela Lenz Advertising director: Thomas Merz thomas.merz@springer.com Jutta Rethmann 11 Distribution director: Phone:01 80/5 26 26 18 (0.14 €/min.) E-mail: vertriebsservice@springer.com **12 Advertised price:** Annual subscription rate 38.40 €, free delivery, incl. VAT Inland: Foreign Countries: 44.40 €, incl. VAT and packing/postage Single copy: 3.50 € plus 1.90 packing/postage, incl. VAT 13 ISSN-No: 0946-3216 14 Size analysis: 2005 = 12 editions **Magazine format:** 230 mm (wide), 300 mm (high) Total size: 1,497 pages = 100.0 %**Editorial section:** 1,210 pages = 80.8 %

Advertising section:	287 pages =	19.2 %
of them are		
Classified advertisements:	61 pages =	21.3 %
Image advertisements:	141 pages =	49.1 %
Bound insert:	2 pages =	0.7~%
One's own advertisements:	83 pages =	28.9 %
Supplements (Loose-leaf inserts):	5 pieces	

15 Content analysis:

Not surveyed



16 Circulation control:		18 Geographical circulat	ion analysis:	
17 Analysis of circulation:	Average circulation within one year (from July 1 st 2005 until June 30 th 2006)	Economic area	Quote of r %	real circulationed press run copies
Printed copies:	98,941	Inland	88.0	47,794
Total circulation therefrom abroad:	54,306 6,512	Foreign Country	12.0	6,512
Total net paid circulation: therefrom abroad:	51,827 6,354	- Total circulation	100.0	54,306
Subscribed copies therefrom copies for member	s -			
Sale by retail Other sale	5,108			



Subjects and Dates

Issue	Publication Date	Closing Dates Ads	Closing Dates Printing material	Themes	Trade fairs
2	Jan 9, 2007	Dec 5, 2006	Dec 14, 2006	Survey: Novelties 2007	
3	Feb 13, 2007	Jan 16, 2007	Jan 25, 2007	Van-Test	
4	Mar 13, 2007	Feb 9, 2007	Feb 22, 2007	Arctic-Truck-Test	CeBIT, Hanover, Mar 15 to 21, 2007
5	Apr 10, 2007	Mar 12, 2007	Mar 21, 2007	Arctic-Van-Test • TRUCKER chooses the SuperTruck	
6	May 8, 2007	Apr 5, 2007	Apr 18, 2007	Euro Truck Test	
7	Jun 12, 2007	May 10, 2007	May 18, 2007	Trailer-Novelties in comparison	
8	Jul 10, 2007	Jun 12, 2007	Jun 21, 2007	Preview Nürburgring	Truck Grand Prix , Nürburgring, July 6 to 8, 2007
9	Aug 14, 2007	Jul 18, 2007	Jul 27, 2007	Nürburgring Special	
10	Sep 11, 2007	Aug 13, 2007	Aug 23, 2007	Tires ● TRUCKER chooses the SuperTruck	
11	Oct 9, 2007	Sep 10, 2007	Sep 19, 2007	Winter accessories	Nutzfahrzeug (Commercial vehicles)-RAI, Amsterdam, Oct 25 to Nov 3, 2007
12	Nov 13, 2007	Oct 15, 2007	Oct 24, 2007	Comparison-Test Commercial vehicles trade fair RAI	
01/08	Dec 11, 2007	Nov 13, 2007	Nov 22, 2007	Truck/Van of the Year	
02/08	Jan 8, 2008	Nov 30, 2007	Dec 7, 2007	Novelties 2008	



Advertisement rate card No. 25 Current prices from Oct 1, 2006



1 Circulation:	
----------------	--

Printed copies:	98,941 copies
Total circulation in annual average	54,306 copies

2 Magazine size:	230 x 300 mm 235 x 310 mm untrimmed	
Type area:	200 mm wide, 268 mm high	

4 columns, 47 mm

3 Printing process, artworks:

Offset printing, wire-stitching. Positive films (inverted) up to 133-line screen will be redigitised. For lithos, fair drafting, opaque copies, or slides, we will charge the reproduction costs.

7 Ads and rates:

All prices are plus VAT

2/1 page: 2/1 page truncate:* Basic rate b/w and 2-coloured 3- and 4-coloured	W 430 x H 268 W 460 x H 300 9,850.00 € 17,665.00 €
1/1 page:1/1 page truncate:*Basic rate b/w and 2-coloured3- and 4-coloured	W 200 x H 268 W 230 x H 300 4,850.00 € 8,705.00 €
 1/2 page (upright): 1/2 page truncate:* 1/2 page (landscape): 1/2 page truncate:* Basic rate b/w and 2-coloured 3- and 4-coloured 	W 98 x H 268 W 113 x H 300 W 200 x H 134 W 230 x H 150 2,525.00 € 4,385.00 €
 1/3 page (upright): 1/3 page truncate:* 1/3 page (landscape): 1/3 page truncate:* Basic rate b/w and 2-coloured 3- and 4-coloured 	W 64 x H 268 W 79 x H 300 W 200 x H 90 W 230 x H 100 1,670.00 € 2,475.00 €

*Truncate additional charge: = $475, - \in$ + 4 mm bleed at all edges to be truncated 4 Publication:

Frequenzy of publication: monthly Publications dates, closings dates and dates for submission: see timetable "Subjects and Dates"

5 Editorial Board: Springer Transport Media GmbH

House address:Neumarkter Str. 18, 81673 MunichPostal address:P. O. Box 80 20 20, 81620 MunichAdvertising salesJürgen Kathkedepartment:Phone: +49-89 / 43 72-29 27Fax: +49-89 / 43 72-23 98E-mail: anzeigen-vhv@springer.com

6 Payment terms:

- direct debit	3% prompt payment discount
- within 10 days	2% prompt payment discount
- within 30 days	
from date of invoice	net
VAT no. DE 152942001	
Bank accounts:	
Commerzbank Munich	
IBAN DE17 7004 0041 0590	3893 00,
BIC COBADEFF700	

 1/4 page (upright, 1-column): 1/4 page, 2-columns: 1/4 page (landscape): Basic rate b/w and 2-coloured 3- and 4-coloured 	W 47 x H 268 W 98 x H 134 W 200 x H 67 1,315.00 € 2,190.00 €
 1/8 page (upright, 1-column): 1/8 page, 2-columns: 1/8 page (landscape): Basic rate b/w and 2-coloured 	W 47 x H 134 W 98 x H 67 W 200 x H 33 590.00 €
2., 3., 4. cover pageBasic rate 3- and 4-colouredBooklets on front page	8,995.00€
Themes and prices	on request
Gatefolder	on request
Calenders	on request



Surcharges Classified ads Discounts Loose and bound inserts

8 Surcharges: (discount	t possible)			
8.1 Colours	8.1 Colours			
	m Euro-scale DIN 16539, cha	arged by co	olour -	
8.2 Preferential positi	ons			
Fixed positions			-	
8.3 Ad formats				
Bleeding across the	gutter		-	
Bleeding advertiser	nent over type area		475.00€	
9 Prices for classified a	de.			
Classified ads		w	2.73€	
Classified ads	· · · · · · · · · · · · · · · · · · ·		5.70 €	
Situations wanted		louieu	1.00 €	
Box number fee			10.00 €	
10 Special ad forms: repr	rints, other ad forms		on request	
11 Discounts: acceptance	within a year			
(Starting with publicat	ion of the first advertisement))		
Frequency discount		Quanti	ty discount	
3 insertions 3	%	3 pages	3 %	
6 insertions 5	~ %	6 pages	5 %	
12 insertions 10	%	9 pages	10 %	
		12 pages	12 %	
All surcharges qualify	for discount.	15 pages	15 %	

12 Combinations:

13 Bound inserts: 2 pages 4.850.00€ 9,700.00€ 4 pages 14.550.00€ 6 pages 19,400.00€ 8 pages (Discount: 1 page insert = 1 full-page ad) Please supply the bound-in inserts in the untrimmed format 235 x wide x 310 high (folded). 2-page inserts must be provided with a printed rim 8 cm wide. The price applies to inserts with a paper weight up to 170 g / sq. metre (rates for heavier papers on request). 14 Loose-leaf inserts:

loose inserted, max. format: 228 mm x 295 mm	
Weight of loose-leaf inserts	Price/thousand
up to 25 g	120.00€
up to 50 g	190.00€
over 50 g	on request
Number of inserts available on request. Inserts possible	at press run
of 5,000 copies.	

15 Glued-in postcards:

Glued-in postcards/thousands 82.00€ Prospect/commercial sample on request, after sight of a sample. Only in combination with an full page-ad (prices see above). Loose inserts and glued-in postcards do not qualify for discounts.

16 Delivery address for the positions 13 to 15:

Oberndorfer Druckerei Mittergöming 12 A – 5110 Oberdorf Delivery notice: for TRUCKER no. ...) Please send in advance 10 samples to the advertising sales departement.



Official Program Journal

Truck Grand Prix Nürburgring 2007 July 6 to 8, 2007

Organizer: Co-Organizer:

Printed copies Printing process: Publication date: Closing date ads:

ADAC Mittelrhein
TRUCKER Fernfahrer Magazin
Neumarkter Straße 18
81664 Munich
20,000 copies
Offset printing, 133-line screen
July 6, 2007
June 6, 2007
June 11, 2007

Ads and rates:

Closing date printing material:

Size	Width (mm)	Height (mm)	Width (mm) truncate	Height (mm) truncate	Basic price b/w	Coloured
2/1 page	396	252	420	280	5,050.00	7,070.00
1/1 page	185	252	210	280	2,525.00	3,535.00
1/2 page, upright, 2-columns 1/2 page, landscape, 4-columns	90 185	252 126	102 210	280 140	1,415.00 1,415.00	1.820.00 1,820.00
1/4 page, upright, 1-column 1/4 page, landscape 1/4 page, 2-columns	45 185 90	252 63 126	57 210 102	280 76 139	760.00 760.00 760.00	910.00 910.00 910.00
2., 3., 4. cover page Bleeding surcharge Surcharge for fixed position					253.0 253.0	



Online Ad Forms

1. Web-Adresse (URL): www.trucker.de

2. Short charakterization:

Up-to-date contents – comprehensive interactivity. www.trucker.de is the Internet community for 600,000 professional truck drivers covering short and long distances. Here, the user finds everything pertaining to the world of commercial vehicles.

3. Ads and rates:

Banner	Format (WxH)	Price*	
	in Pixel	(per thousand)	
Superbanner	728 x 90	42.00 €	
Skyscraper	120 x 600 or 200 x 400	42.00 €	
Combi-Package	Displaying all banners	62.00€	
(Tandem-Ad)	simultaniously:		
	- Superbanner (728 x 90)		
	- Skycraper (200 x 400)		
	- Contant-banner (440 x 40)		
Pop-Up/Under/Layer	format on request	42.00 €	
Hockey-Stick		62.00€	

* valid from Oct, 1 2006; Prices are subject to VAT.

Other formats on request.

4. Online Special ad forms:

Infolines, sponsoring, cooperations on request.

5. Data delivery:

online-inserate@springer.com

See www.mediacentrum.de for our terms and conditions.

Data Ticket



Please send the filled-out form per Fax to +49 / (0) 911-32 00 22 69 NUREG NEUE MEDIEN, Dorfäckerstraße 31, 90427 Nuremberg

All delivered advertisements have to be marked with folder, customer's name, magazine title, and edition and must be sent additionally to NUREG NEUE MEDIEN by fax! Questions to: Mr. Bülow

Sender/Compa	any:		Data description			
Contact person	n:		Program Acrobat PDF	MAC	PC	Version
-			QuarkXPress PageMaker FreeHand			3.32/4.43 up to 6.5 up to 10.0
Folder name:			Illustrator			up to 10.0 up to 9.0
			Photoshop			up to 6.0
Advertisemen	nt published in:		Corel Draw			
Telephon +49 / (0) 89-4372-2119 Petra Wenninger		Fonts □ provided	□ altered	into paths		
□ Telephone			- r		F	
□ Telephone			Sample □ Proof □ colour print-ou	t	□ b/w	print-out
Transfer of d	ata			i.		print out
Date of transfe	er:		Sender date:			
Data medium □ CD	n: □ ZIP	□ Disk	Assigment, data medium, print-out to: Springer Transport Media GmbH			
Online: □ e-mail buelow@nureg.de			Advertising department Neumarkter Str. 18, 81664 Münich, Germany			
\Box ISDN + 49	/ (0) 911-32 00 21 21	1				

(Grand Central Pro, Leonardo transfer rate 128 KBit/s)

Data type: To avoid problems, advertisements should be sent as a closed file format (colour ads have to be sent in the CMYK colour space; special colours and data in the RGB colour space cannot be processed). The customer has the responsibility for the repro quality and correct data transfer. In the delivered data, no corrections will be carried out by the printers.

Production data:

All common design applications such as QuarkXPress, FreeHand, CorelDraw... offer the possibility to save a file composed of single objects in <u>one complete file</u>!

Word and Excel files cannot be used!

TIFF: Line masters with a minimum resolution of 1000 dpi, grayscale data with a minimum resolution of 300 dpi, 4c data (CMYK mode!) with a minimum resolution of 300 dpi.

JPG or JPEG: Here, the same requirements as for TIFF apply. In addition, due to the format (lossy compression), no quality guarantee can be granted in cases of strong compression.

DCS: Ideally, save your data in the DCS 2.0 format (with higher JPEG quality as a "Colour Composite Single file with 72 dpi"). Recommended only for 4c data and for current Adobe Photoshop versions 5.0 or later!

EPS: When creating EPSs, enclose all fonts in the EPS file, or convert the fonts into vector paths. <u>Images as hi-res data</u>! They must not contain JPEG compression (no JPEGs, Photoshop EPSs with JPEG compression, DCS 1.0 or 2.0)

PDF: When creating images, do <u>not</u> downsample the image to 72 dpi with Distiller or compress JPEG. All fonts must be sampled into the PDF. For 4c advertisements, separate the PDF according to the CMYK standard. Follow the print sequence of the colours (cyan, magenta, yellow, black).

PostScript: Use Post-Script Level2 data. Embed fonts, images as hi-res data!